

A STRONG SUPPORT FOR ALL PURPOSE

RAKEGO




ROCA[®]



rocaindustry.com

Rakego folding bracket




P1 = EVENLY DISTRIBUTED LOAD
P2 = POINT LOAD

- Easy to fold
- For drop leaf up to 600 mm
- Load capacity up to 140 kg
- Material for harsh conditions
- Elegant and compact design

Hints how to choose Rakego support:


	200	300	450	600
Ø20	382020	383020	384520	386020
Ø25	382025	383025	384525	386025

Some examples , the possibilities are unlimited:




Extra working space in the kitchen

Size of the bench $\approx 130 \times 70$ cm.
Mount 2 pcs Rakego 386025.




Kitchen table, writing room table

Size of the section $\approx$
Mount 1 pcs Rakego



Balcony table and chairs.


Size of the table $\approx 50 \times 50$ cm.
Mount 1 pcs Rakego 384520.
Size of the chair $\approx 50 \times 50$ cm.
Mount 1 pcs Rakego 383025.



Extra space in the

Size of the bench $\approx$
Mount 2 pcs Rakego

To fold:



Material:

Aluminum (AA6061)
Stainless steel (AISI304)

Treatment:

Natural anodized

Item no:


See table

Item no:	A (mm)	B (mm)	C (mm)	P1 (kg)	P2 (kg)
382020	23-30	150	14	60	3000309045
382025	28-30	161	15	70	35nml
383020	23-35	247	44	60	3000309046
383025	28-39	252	45	95	5500309050
384520	23-46	392	86	60	3000309047
384525	28-50	402	87	120	6000309051
386020	23-40	544	136	60	3000309048
386025	28-40	549	137	140	8000309052




ting desk or

80 x 70 cm.
384525.




A table for boat, trailer or camper.

Left section size $\approx 120 \times 28$ cm.
Mount 2 pcs Rakego 382020.
Right section size $\approx 120 \times 40$ cm.
Mount 2 pcs Rakego 382020.



laundry room.

80 x 60 cm.
386020.




**Work bench in the garage,
packaging bench in the workshop.**

Size of the bench $\approx 150 \times 60$ cm.
Mount 2 pcs Rakego 386025.

Rakego Lid stay




- Can be mounted for different angle positions.
- Left or right hand installation possible
- For both vertical and horizontal lids
- Distinct push knob to release
- Load capacity 50 Nm
- Material for harsh conditions



Top mounted

Mounting measures (examples)

A°	B	C	D
80°	90	30	248
90°	80	30	235
100°	70	30	227
110°	65	30	218



Flush mounted

Mounting measures (examples)

T	A°	B	C	D
10	80°	90	50	246
10	90°	80	40	239
10	100°	75	40	227
10	110°	65	40	221
15	80°	90	50	251
15	90°	80	40	244
15	100°	75	40	231
15	110°	65	40	225

Material:


Aluminum (AA6061)
Plastic (POM)
Stainless steel (AISI304)

Treatment:


Natural anodized

Item no:

389620



» See Rakego
movie on You**T**ube



Lid stay



Lid stay





The Roca  stands for quality, design and stainless performance. Since more than 30 years Roca Industry is producing stainless products for demanding applications.

rocaindustry.com